



We create
the community
of business



Open for business



Gosia

Amigo

Helios od 1950

Sensit

Who we are

We are the leading Polish manufacturer of products intended for food preparation and storage, cleaning accessories and household chemicals. We established the company in 1982, with 100% Polish capital, and provide products for Polish and worldwide markets. Our head office is in Rybnik, with production plants located in Czyżowice and Żywiec.

The business operations of Politan is based on two strong pillars - sales of branded products intended for specific customers (Gosia, Amigo, Helios and Sensit brands) and the development of B2B solutions.


● 1985

production of waste bags begins




● 1987

production of ice bags begins, a first in Poland



● 1988

production of aluminium foil begins




● 1989

production of cling film begins



● 1995

production of roasting sleeves begins



Our development is closely linked to innovation, and our knowledge and experience. For over 30 years we have been developing innovative business solutions at Politan, and constantly launching patented products.

Our products are characterised by high quality, owing to the use of the best raw materials. These are processed as little as possible, and are sourced from proven suppliers.

In the case of products like ice bags and cling film, we undertake the whole production process. We ensure that Politan remains as close to the raw material origin as possible.

In 2010–2018 we produced:



Almost 3 times as many ice bags
as the number of people in Poland!



Enough roasting sleeves to stretch
from the centre of Poland to New York!



Over 700 million oven bags!



Enough aluminium foil to wrap the whole Earth!

Who are our clients?

Our products are targeted at chain stores, production companies, distributors and anybody willing to increase their market competitiveness through access to high quality products. We work closely with companies that have their own brands in portfolio as well as with those intending to enter with a new brand on the market.

What we offer

Our many years of experience in the production and sales of our products all contribute to our business strength. Our products are high quality, and we also strive to ensure that our partnerships and relations with our clients bring the most effective solutions.

We also offer:

- ● **Attractive and competitive prices** – we offer favourable prices and ensure they remain unchanged.
- ● **Safety** – we seek to guarantee timely deliveries, even when an order is suddenly extended. Our customer satisfaction related to lead times is as high as 98%, while our financial credibility is guaranteed by the Gold Certificate of Reliability, testimony to the honesty and responsibility we engender at Politan.
- ● **Monitoring at every stage of order execution** – we manage every aspect of the production process, all the way to final product acceptance. This is to ensure that our clients receive products that live up to their expectations.

- **Short new product implementation process** – we are able to produce the first batch of a new order within 5 weeks from accepting the packaging design.
- **Extended and modern infrastructure** – we maintain at least two production lines for each of our products. We have our own R&D unit, allowing changes and repairs to the lines to be made while minimising the down time.
- **Maximum product adaptation to the client's needs** – besides the extensive standard product range, we also create tailor-made products, while our team of specialists designs and builds new customised equipment.

Quality

Our manufacturing processes are based on the international quality standard, ISO 9001 (Quality Management System), and high environmental protection standards. We work according to GMP (Good Manufacturing Practices) for food contact products and HACCP (Hazard Analysis and Critical Control Points) to ensure food safety. We regularly revise our work standards via internal audits as well as those carried out by our clients.

Politan products are designed and manufactured to be safe when used for their intended purposes. The GMP standards ensure high quality and the safety of the raw materials and components used.

The Food Safety System guarantees relevant health quality of the product, i.e. that it is free of biological, physical and chemical contaminants and allergens.

Numerous awards and certificates, plus patents and new technologies, all confirm the quality of Politan products.



The best confirmation of our qualities are our clients, who we aid in developing their products and generating real profits.

We are trusted by:







CLING FILM

• 11



CLIPS

• 14



ROASTING SLEEVES

• 15



OVEN BAGS

• 18



ICE BAGS

• 22




Film for food packing and storage. Flexible, easy to unwrap, adheres well. Safe for contact with all food types.



• Film type:



standard




with perforation

• Film end options:



without curling



with curling

PARAMETERS						
Version	Film type	Material	Thickness	Length	Width	Core tube
home	standard	polyethylene	8,5 mic	20–50 m	290 mm	302 mm ø 28, 328 mm ø 28 only for carton with cutter
home with perforation	with perforation			10–20 m		302 mm ø 32, perforation every 350 mm
gastronomic	standard			150–300 m		338 mm ø 38

• Five-wall box

Cardboard bleached on both sides, with a reinforced construction. The extra fifth wall has a zipper construction that allows the box to be opened once torn off. The box comes with special „clicks” on the side walls to lock the lid after closing. The cardboard box is glued.



Standard version available with a blade



PARAMETERS						
Material		Thickness	Dimensions	Print	Varnish	Blade material
GD2 bleached on one side		320 gsm	308 × 43 × 43 mm	offset, up to 5 colours	gloss or matte	clear or white PVC
alaska bleached on both sides		280 gsm			matte	
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 20 pcs.					
	Grey carton, dimensions: 330 × 230 × 265 mm, per box: 30 pcs.					

• Box with cutter

Cardboard bleached on both sides, with a reinforced construction and built-in cutter.



Standard

PARAMETERS				
Material	Thickness	Dimensions	Print	Varnish
GD2 2EW: corrugated micro-wave cardboard, bleached on both sides	140/100 gsm	340 × 48 × 48 mm	offset, up to 5 colours	gloss or matte
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print; dimensions: 348 × 245 × 225 mm, per box: 16 pcs.			

• Foil-wrapped roll

PP foil with a printed layer.




Standard

PARAMETERS			
Material	Thickness	Dimensions	Print
polypropylene	20 mic	width 302 mm	flexo, up to 8 colours
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 30 pcs. for beam 30 m per roll		
	Grey cardboard box, dimensions: 310 × 222 × 235 mm, per box: 42 pcs. for beam up to 20 m per roll		

Clips

Unique product in the Politan portfolio. The clips have legally reserved shape, size and manufacturing material. They are characterised by a special anti-explosion protection that protects a bag or sleeve against rupture under the influence of high pressure produced during baking. The use of the clips eliminates the need to puncture the bag.



4-tooth clips



CONSTANT PARAMETERS		VARIABLE PARAMETERS		
Thickness	Clip size	Amount per roll	Sets	Colour
150 mic	length 113 mm, width 10 mm	42,000 pcs.	4–15 pcs.	red or blue

13-tooth clips



CONSTANT PARAMETERS		VARIABLE PARAMETERS		
Thickness	Clip size	Amount per roll	Sets	Colour
150 mic	length 113 mm, width 10 mm	42 000 pcs.	4–15 pcs.	red or blue

MASTER CARTON	
On roll	In sets
Grey cardboard box, with flap, dimensions: 310 × 222 × 235 mm, per box: 2 rolls: 84,000 pcs.	Grey cardboard box, with flap, dimensions: 165 × 160 × 210 mm, per box: 24,000 pcs. of clips



The roasting sleeve is used for roasting meat and vegetables without using any fat. It can be used safely in traditional ovens at temperatures of up to 220°C or in a microwave oven. Made from the best raw materials. Unique weld tear strength: 12 N/15 mm. Safe for food contact.



• Available types of clips



red PET clips



blue PET clips



metal and paper PAP clips



safety clips – safe roasting without puncturing

PARAMETERS				
Material	Thickness	Length	Width	Number of clips per packaging
BoPET	12 mic	2–10 m	285 mm	PET clips: 6–14
				PAP clips: 10



• Four-wall box

Cardboard box bleached on one side, four-wall, glued, opened along a perforated line on one side.



PARAMETERS

Material	Thickness	Dimensions	Print	Varnish	Available types of clips
alaska bleached on both sides	300 gsm	320 × 43 × 43 mm	offset, up to 5 colours	dispersion	PET, PAP or without clips
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 20 pcs.				
	Grey carton, dimensions: 330 × 230 × 265 mm, per box: 30 pcs.				

• Five-wall box

Cardboard bleached on both sides, with a reinforced construction. The extra fifth wall has a zipper construction that allows the box to be opened once torn off. The box comes with special „clicks” on the side walls to lock the lid after closing. The cardboard box is glued.



PARAMETERS

Material	Thickness	Dimensions	Print	Varnish	Available types of clips
GD2 bleached on one side	320 gsm	308 × 43 × 43 mm	offset, up to 5 colours	gloss or matte	PET or without clips
alaska bleached on both sides	280 gsm			matte	
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 20 pcs.				
	Grey carton, dimensions: 330 × 230 × 265 mm, per box: 30 pcs.				

• Flowpack

Top, bottom and side film weld, with a printed layer.



PARAMETERS				
Material	Thickness	Dimensions	Print	Available types of clips
polypropylene	25 mic	338 × 60 mm	flexo, up to 8 colours	PET or without clips
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 70 pcs.			
	Grey cardboard box, dimensions: 330 × 230 × 265 mm, per box: 100 pcs.			

• Foil-wrapped roll

PP foil with a printed layer.



PARAMETERS				
Material	Thickness	Dimensions	Print	Available types of clips
polypropylene	20 mic	szer. 302 mm	flexo, up to 8 colours	PET, PAP or without clips
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 325 × 180 × 225 mm, per box: 30 pcs.			
	Grey cardboard box, dimensions: 310 × 222 × 235 mm, per box: 50 pcs.			

The oven bags are used for roasting meat and vegetables without using any fat. They are durable and do not chip. They have unique weld tear strenght: 15 N/15 mm. They can be used safely in traditional ovens at temperatures of up to 220°C or in a microwave oven.



Available types of clips




red PET clips



blue PET clips



metal and paper PAP clips



safety clips – safe roasting without puncturing

PARAMETERS				
Material	Thickness	Height	Width	Quantity per packaging
BoPET	12 mic	380, 400, 430, 500 mm	200-500 mm	1–10 pcs.



OVEN BAGS

• AVAILABLE PACKAGES



CONTACT
CLICK HERE

• Flat cardboard box

Rectangular cardboard box.



PARAMETERS

Material	GD2 bleached on one side
Thickness	300 gsm
Dimensions	205 × 160 mm or 170 × 140 mm
Print	offset, up to 5 colours

Available types of clips:
PET, PAP, without clips

Master carton

1. Cardboard box with perforation, bleached on the outside, possibility of print, **dimensions:** 173 × 160 × 213 mm, **per box:** 20 pcs.
2. Grey cardboard box, **dimensions:** 165 × 160 × 210 mm, **per box:** 60 pcs.

• Bag with self-adhesive seal and print

Bag with printed graphics and a self-adhesive seal on the back.



The bag is available in rectangular and square shapes

PARAMETERS

Material	polypropylene
Thickness	25 mic
Dimensions	280 × 145 mm, 250 × 145 mm, 180 × 145 mm
Print	flexo, up to 8 colours

Available types of clips:
PET, PAP, without clips

Master carton

1. Cardboard box with perforation, bleached on the outside, possibility of print, **dimensions:** 173 × 160 × 213 mm, **per box:** 20 pcs.
2. Grey cardboard box, **dimensions:** 165 × 160 × 210 mm, **per box:** 60 pcs.

• Bag with self-adhesive seal and a paper label

Bag with self-adhesive seal on the back and a printed paper label inside.



The bag is available in rectangular and square shapes

PARAMETERS

Material	polypropylene
Thickness	25 mic
Dimensions	280 × 145 mm, 250 × 145 mm, 180 × 145 mm
Print	offset, up to 4 colours

Available types of clips:
PET, PAP, without clips

Master carton

1. Cardboard box with perforation, bleached on the outside, possibility of print, **dimensions:** 173 × 160 × 213 mm, **per box:** 20 pcs.
2. Grey cardboard box, **dimensions:** 165 × 160 × 210 mm, **per box:** 60 pcs.



• FOLDED OVEN BAGS

The oven bags are used for roasting meat and vegetables without using any fat. They are durable and do not chip. They have unique weld tear strenght: 15 N/15 mm. They can be used safely in traditional ovens at temperatures of up to 220°C or in a microwave oven.




• Available types of clips



red PET clips



blue PET clips



safety clips – safe roasting
without puncturing

PARAMETERS

Material	Thickness	Height	Width
BoPET	12 mic	380 mm	small: 250 mm
			large: 310 mm



• Self-adhesive sticker with print

The oven bags are folded into small squares and glued with a sticker with monochromatic print.




PARAMETERS						
Material		Thickness	Dimensions	Print	Available colour	Available types of clips
paper		80 gsm	10 × 42 mm	flexo – 1 colour	red or yellow with white arrow	PET or without clips
Master carton	Small folded bags		Grey cardboard box, dimensions: 300 × 245 × 320 mm, per box: 2000 pcs.			
	Large folded bags		Grey cardboard box, dimensions: 310 × 222 × 235 mm, per box: 1000 pcs.			


Ice bags are made of LDPE film, which is resistant to tearing at low temperatures. Safe for contact with food. The bags are available in different shapes and with different closures.


• Shake it and that's it – crushed ice

Self-closing




Bags available in tied option







pour some water into the bag




tear apart along the perforated line




roll down the top tape and tie it



Stretch and pull the bag in all directions after freezing



Squeeze all ice cubes to let them fall to the bottom



cut the top off the bag

PARAMETERS				
Material	Thickness	Dimensions	Number of bags	Number of ice cubes per bag
polyethylene	20 mic	self-closing: 170 × 350 mm tied: 170 × 365 mm	6–12	120

• Shake it and that's it – large ice cubes

Self-closing



Bags available in tied option





pour some water into the bag



rapidly rotate the bag to close



Stretch and pull the bag in all directions after freezing



Squeeze all ice cubes to let them fall to the bottom




cut the top off the bag

PARAMETERS				
Material	Thickness	Dimensions	Number of bags	Number of ice cubes per bag
polyethylene	20 mic	self-closing: 170 × 350 mm tied: 170 × 365 mm	6–12	24

•


Self-closing – large cubes



PARAMETERS				
Material	Thickness	Dimensions	Number of bags	Number of ice cubes per bag
polyethylene	20 mic	170 × 350 mm	6–12	24 rectangular or 18 square

•

Tied – large cubes



PARAMETERS				
Material	Thickness	Dimensions	Number of bags	Number of ice cubes per bag
polyethylene	20 mic	170 × 365 mm	6–12	24 rectangular or 18 square

CUSTOMISATION
Monochrome print on the bag, according to the client's design
Different ice cube shape

The bags are available with any white colour print



•

Cardboard box

Rectangular cardboard box, opened along a perforated line on one side, glued.




PARAMETERS				
Material	Thickness	Dimensions	Print	Varnish
GD2 bleached on one side	300 gsm	200 × 42 × 42 mm	offset, up to 5 colours	dispersion
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 405 × 180 × 225 mm, per box: 40 pcs.			
	Grey cardboard box, dimensions: 330 × 230 × 265 mm, per box: 48 pcs.			

•

Flowpack with euroslot

Top, side and bottom foil weld, with printing. The top weld features a euroslot to facilitate product presentation.



PARAMETERS			
Material	Thickness	Dimensions	Print
polypropylene	25 mic	260 × 110 mm	flexo, up to 8 colours
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 125 × 160 × 240 mm, per box: 26 pcs.		
	Grey cardboard box, dimensions: 390 × 230 × 130 mm, per box: 100 pcs.		

• Flowpack with a paper label

Top, side and bottom foil weld, and a printed paper label inside. The top weld features a euroslot to facilitate product presentation.



PARAMETERS				
Material	Thickness	Dimensions	Dimensions label	Print
polypropylene	25 mic	260 × 110 mm	before submitting: 340 × 85 mm after submission: 170 × 85 mm	offset, up to 4 colours
Master carton	Cardboard box with perforation, bleached on the outside, possibility of print, dimensions: 125 × 160 × 240 mm, per box: 26 pcs.			
	Grey cardboard box, dimensions: 390 × 230 × 130 mm, per box: 100 pcs.			



We create
the community
of business

Contact our representative

Phone: +48 32 721 23 70

E-mail: poczta@politan.pl

or



FILL IN
THE ONLINE FORM



We create
the community
of business

POLITAN Sp. z o.o. S.K.A.
ul. 3 Maja 30
44-200 Rybnik
NIP (Tax ID): 6472264011
poczta@politan.pl
www.politan.pl/en/