



PRIVATE LABEL OFFER

● WHO ARE WE?


Politan is leading manufacturer of food contact products in private label brands (storage and preparation category). The company's headquarter is located in Rybnik while its production plants are located in Czyżowice and Żywiec. The beginnings of our company date back to 1982.

● OUR STORY:


1985 r.
first rubbish bags were manufactured



1987 r.
launch of the first production line of ice cube bags in Poland





1988 r.
production of aluminium foil began




1989 r.
production of cling film began

1995 r.
production of roasting sleeve began



2002 r.
the Department for Technology Development and Machine Design was opened

2011 r.
production of barbecue trays began



2020 r.
introduction of Air Protect System air fillers to the market

Development of Politan as a company is closely linked to knowledge, experience and innovations. For 40 years Politan has been **developing creative business solutions** and consistently introducing **own patented products to the market**.

The raw materials for our products come from reliable and approved suppliers which guarantees high quality of the products. **In case of products such as ice cube bags or cling film the production process begins and ends in Politan.**

● WHAT CAN WE DO FOR YOU?

Our activities are based on two strong pillars – **sales of branded products** (Gosia, Amigo, Helios, Sensit brands) and **private label** production for our clients (B2B sector).



● FOR PRIVATE LABELS WE MAINLY PRODUCE:



ice cube bags (different shapes)



cling film (classic and perforated)



roasting bags (different sizes)



roasting sleeves (classic and folded in a half)



baking paper (in roll and in sheets)



clips for roasting bags and sleeves (special, patented clip)




cling film cutter (easy-cut)

Our offer is addressed to **retail chains, manufacturing companies, distributors** and all those who desire to increase their competitiveness on the market and stand out with high-quality products. **We cooperate both with companies that already have their own brand in their offer and those who are just planning to introduce it.** Politan provides comprehensive support necessary to introduce a product to the market.



● OUR CERTIFICATES


Every order we receive is processed with attention to each detail. We manufacture our goods in accordance with international safety standards: **ISO 9001 and BRC Packaging**. Our company works in line with **Good Hygiene Practices (GHP)** and **Good Manufacturing Practices (GMP)** ensuring safe production at all stages of the manufacturing chain. We implemented the HACCP system which guarantees the appropriate quality of products intended for contact with food. **Our work standards are regularly verified** by internal quality controls, certification audits and those carried out by our clients.



● WHY COOPERATE WITH US?

**EUROPEAN MANUFACTURER**

we are an European manufacturer – thanks to our own unique technology and low manufacturing costs, we can offer you very competitive prices.

**HIGH, CONSISTENT QUALITY OF PRODUCTS**

we have high quality standards for our products. Our company knows how to meet the needs and expectations of consumers – that's because Politan is an owner of premium and basic brands. We are certified for compliance with the requirements of ISO 9001: 2015.

**COMPETITIVE AND STABLE PRICES**

despite the dynamically changing market conditions, we give guarantee of price stability for six months after signing the contract.

**ELASTICITY**

we can adjust to your standards. In our offer you will find different types of packaging and possibility to buy the products in bulk.

**SHORT LEAD TIME**

we focus on efficiency, we offer short implementation time for new private label product.





Private Label offer
Food contact products



ICE CUBE BAGS

9



SAFETY CLIPS

15



ROASTING BAGS

17



FOLDED ROASTING BAGS

20



ROASTING SLEEVE

22



CLING FILM

28



BAKING PAPER

32



Ice cube bags are made of resistant LDPE film which prevents leaking of the bags. Safe for food contact. We are Europe's leading manufacturer of ice cube bags with 30 years of experience.

Our company produces the ice cube bags "from scratch", so we check quality of the product at every manufacturing stage, from raw material to finished product. **Our know-how allows us to maintain the lowest prices while maintaining the highest product quality.**

The bags are manufactured **in a set with convenient perforation** which makes it easier to tear off individual sheet. We offer them in various shapes, sealing types (self-sealing, tied-top), overprint option and in two versions: "shake down" and classic. There's a reason why our ice cube bags have "wide range of shapes" in its name.



• **Type of ice cube bags:**



self-sealing



tied-top



• **Shape of cubes:**

Shake down



round small



rectangular



icicle

Classic



rectangular



rectangular
XXL



heart



round



● **“Shake down” ice cube bags**

This type of **ice cube bags** make it easy to take out frozen ice cubes. All you have to do is stretch the bag in different directions and then shake the bag a few times. The cubes will be at the bottom of the bag, ready to be taken out.




Option: one-color overprint according to your design



PARAMETERS							
Type of sealing	Shapes		Number of cubes per sheet	Number of sheets	Material	Thickness	Dimensions
self-sealing or tied-top	crushed ice		120	6-20	polyethylene	25 μ	self-sealing: 170 x 350 mm tied-top: 170 x 365 mm
	large cubes		24				
	icicle						

● **Classic ice cube bags**



Option: one-color overprint according to your design



PARAMETERS							
Type of sealing	Shapes		Number of cubes per sheet	Number of sheets	Material	Thickness	Dimensions
self-sealing or tied-top	large cubes		120	6-20	polyethylene	20 μ	self-sealing: 170 x 350 mm tied-top: 170 x 365 mm
	cubes XXL		24				
	heart		18				
	round						





• Competitive advantages of our ice cube bags:



we are one of the largest manufacturers of ice cube bags in Europe



our production process is unique on a global scale – lower consumption of PE raw materials



30 years of experience



guaranteed quality



wide range of available shapes



option: one-color overprint according to your design



bags with convenient perforation





• **A four-sided cardboard box**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs per box		
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs per box		

• **Five-sided square cardboard box**

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs per box		
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs per box		



• **Five-sided rectangular cardboard box**

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps open the box. Box has a cutout, which makes it possible to **close the box flap**.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	37 x 62 x 200 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 38 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 16 pcs per box		

• **Flowpack**

The film with overprint is sealed on the top and bottom. Optional eurohole allows easy product display.




PARAMETERS			
Material	Thickness	Overprint	Option
polypropylene	35 μ	flexo, up to 8 colors	eurohole
Master box	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 125 x 160 x 240 mm, 26 pcs per box		



• **Flowpack with paper label**

Transparent film with a printed paper label inside is sealed on the top and bottom. The film is sealed on the top and bottom of the product. Optional eurohole allows easy product display.



PARAMETRY					
Material	Thickness	Label version	Label dimensions	Label overprint	Option
polypropylene	25 μ or 35 μ	double-sided	unfolded 340 x 85 mm folded 170 x 85 mm	offset, up to 4 colors	eurohole
		one-sided	86 x 172 mm		
Master box	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs per box				
	Display box, externally bleached, optional overprint, dimensions: 125 x 160 x 240 mm, 26 pcs per box				



Clips allow you to close a roasting bag or sleeve easily. Our clips can be made of **red or blue heat resistant BoPET (up to 220°C)**. The clips are **durable and very flexible** (they can be bent inside a folded cube-shaped roasting bag).

We offer clips on a roll or in convenient sets. Depending on your needs, **the roll (42 000 clips) can be divided into sets – from 4 to 15 pieces per set**. Available in **2 variants: 4-tooth clips**, so-called “Safety Clips”, as well as traditional **14-tooth clips**.


Safety clips have a **special shape** (patented by Politan) **that eliminates the need to puncture the roasting bag or sleeve**. Thanks to the safety clips, the sleeve is closed but a small air outlet remains, so hot air escapes outside through the opening. There’s a reason our safety clips have “no more pressure” in its name. **We guarantee that the bag will not burst during roasting!**



Red or blue 4-tooth safety clip



Red or blue 14-tooth clip



PARAMETERS							
Version	Length	Width	Material	Thickness	Color	Number of clips on roll	Sets of
4-tooth or 14-tooth	113 +/- 1 mm	10 mm	BoPET	150 μ	red or blue	42 000 pcs	4-15 pcs
Master box (for rolls)		Grey cardboard box, dimensions: 300 x 260 x 260 mm, 2 rolls (84 000 pcs) per box					
Master box (for sets)		Grey cardboard box, dimensions: 165 x 160 x 210 mm, 24 000 pcs per box					

● **Competitive advantages of our clips:**



Safety Clips eliminate the need to puncture the roasting bag or sleeve



available on a roll and in various sets



manufactured from selected raw materials with high temperature resistance



2 color options





Safety clips protect roasting bags and sleeves against uncontrolled explosion in the oven. They have a **special shape** (patented by Politan) that **eliminates the need to puncture the roasting bag or sleeve**. Thanks to the safety clips, the sleeve is closed but a small air outlet remains, so hot air escapes outside through the opening. **We guarantee that the bag will not burst during roasting!**

● **How do Safety Clips work?**


1. Place food in roasting sleeve (or bag) and close with the Safety Clip.



2. Thanks to the specially designed 4-tooth clip, the sleeve is closed but a small air outlet remains.



3. Hot air flows out through the small outlet during roasting.



4. **No need to puncture the sleeve or bag.** We guarantee that the bag will not burst during roasting!



**NO
PUNCTURE!**





Roasting bags are intended for fat-free roasting of various types of dishes. **Bags are durable, do not crumble** and are safe for food preparation. They can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens. **We offer roasting bags in various sizes, with or without clips.**

Our roasting bags are manufactured from **the best raw materials**. They have **the strongest, most durable seals** on the market. There's a reason why our roasting bags have "power of seal" in its name.



• **Type of clips:**



Red or blue 4-tooth safety clip



Red or blue 14-tooth clip



PARAMETERS				
Length	Material	Thickness	Width of the bag	Number of bags in set
380 mm	BoPET	12 μ	200–500 mm	1–12 pcs
400 mm				
430 mm				
500 mm				

● **Competitive advantages of our roasting bags:**



we are No.1
manufacturer of
roasting bags in the EU




over 1 000 000 000
bags produced



the most durable seals
on the market



manufactured from
selected raw materials
with high temperature
resistance



bags available
in various sizes



patented clips protect bags
from uncontrolled explosion
in the oven




innovative
and automated
production process






• **Flat cardboard box (envelope)**

Cardboard bleached on one side. It has an envelope opening on the back of the box.



PARAMETERS					
Version	Material	Dimensions	Overprint	Vernish	Eurohole
standard envelope box	GD2 300 g/m ² bleached on one side	160 x 208 mm	4-6 colors	dispersion varnish: matt or glossy	Yes
narrow envelope box	GD2 300 g/m ² bleached on one side	125 x 208 mm	4-6 colors	dispersion varnish: matt or glossy	No
small envelope box	GD2 300 g/m ² bleached on one side	140 x 170 mm	4-6 colors	dispersion varnish: matt or glossy	Yes
Master box (for standard box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20 pcs per box				
	Display box, externally bleached, optional overprint, dimensions: 173 x 160 x 213 mm, 20 pcs per box				
Master box (for narrow box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20 pcs per box				
	Display box, externally bleached, optional overprint, dimensions: 130 x 160 x 212 mm, 20 pcs per box				
Master box (for small box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20 pcs per box				
	Display box, externally bleached, optional overprint, dimensions: 173 x 160 x 213 mm, 20 pcs per box				



Folded roasting bags are dedicated to use in spice bags. The sticker and special folding make opening of the roasting bag very easy and intuitive. We have developed **a technology for inserting the clip into the bag**, so you can add a complete set to your spice bag: folded roasting bag with clip. **We offer two sizes of folded roasting bags and different sticker colors.**

Roasting bags are intended for fat-free roasting of various types of dishes. **Bags are durable, do not crumble** and are safe for food preparation. They can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens.

Our roasting bags are manufactured from **the best raw materials.** They have **the strongest, most durable seals** on the market. There's a reason why our roasting bags have "power of seal" in its name.

standard



Sticker with a single color overprint

small



The clip can be placed inside the bag

narrow



Available on request. Please contact us if you are interested



Once the roasting bag is unfolded, it is ready to use

FOLDED ROASTING BAGS


• Type of clips:



Red or blue 4-tooth safety clip



Red or blue 14-tooth clip



PARAMETERS							
Version	Width of the bag	Length of the bag	Material	Thickness	Dimensions of the folded bag	Dimensions of the paper sticker	Available colors of the paper sticker
small	250 mm	380 mm	BoPET	12 μ	32 x 34 x 8 mm	15 x 42 mm	red
narrow	310 mm				50 x 24 x 8 mm	20 x 42 mm	red
standard	310 mm				32 x 34 x 10 mm	20 x 42 mm	yellow
Master box (for small bags)	Grey cardboard box, dimensions: 300 x 245 x 320 mm, 1800 pcs per box						
Master box (for large bags)	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 1000 pcs per box						

• Competitive advantages of our roasting bags:



we are No.1 manufacturer of roasting bags in the EU




over 1 000 000 000 bags produced



the most durable seals on the market



manufactured from selected raw materials with high temperature resistance



bags available in various sizes



patented clips protect bags from uncontrolled explosion in the oven



innovative and automated production process



automated quality control process





The roasting sleeve is intended for fat-free roasting of various types of dishes. The sleeve is durable, do not crumble and is safe for food preparation. It can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens.

Our roasting sleeve is manufactured from **the best raw materials**. It has **the strongest, most durable seals** on the market. There's a reason why our roasting sleeve has "power of seal" in its name.



● **Type of roasting sleeve:**



ROASTING SLEEVE

● **Type of clips:**



● Red or blue 4-tooth safety clip



● Red or blue 14-tooth clip



PARAMETERS						
Type of sleeve	Material	Thickness	Width	Width of the folded roll	Length	Number of clips per pack
classic	BoPET	12 μ	290 mm	-	2-10 m	6-16 clips or without clips
		10 μ	300 mm			
folded in a half		12 μ	290 mm	162 mm	2-6 m	
		10 μ	300 mm	165 mm		

● **Competitive advantages of our roasting sleeves**



the most durable and strongest seals on the market



manufactured from selected raw materials with high temperature resistance



patented clips protect bags from uncontrolled explosion in the oven



safe for food preparation



innovative and automated production process



automated quality control process

ROASTING SLEEVE





● **Four-sided cardboard box (for classic roasting sleeve)**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
classic 290 and 300 mm	GD2 300g/m ² bleached on one side	43 x 43 x 321 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box			

● **Five-sided cardboard box (for classic roasting sleeve)**

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zipper' which helps to open the box once torn off. The box is equipped with special **click locks** on the side walls which stop the lid from opening. There are also "**U**" shaped cutouts on the side walls to fix the roll, which makes unwinding the roll easier.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
classic only for 290 mm	GC2 Alaska 280g/m ² bleached on both sides	43 x 43 x 308 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box			



● **Four-sided cardboard box (for roasting sleeve folded in a half)**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in a half	GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs per box			

● **Five-sided square cardboard box (for roasting sleeve folded in a half)**

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in a half	GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs per box			



● **Five-sided rectangular cardboard box (for roasting sleeve folded in a half)**

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in a half	GD2 300g/m ² bleached on one side	37 x 62 x 200 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 38 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 16 pcs per box			

● **Five-sided narrow cardboard box (for roasting sleeve folded in a half)**

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps open the box. Box has a cutout, which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in a half	GD2 300g/m ² bleached on one side	20 x 63 x 180 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 275 x 190 x 220 mm, 40 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 32 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 129 x 252 x 184 mm, 24 pcs per box			



• **Flowpack** (for classic and folded in a half roasting sleeve)

The film is sealed on the top and bottom of the product, with overprint.




PARAMETERS			
Type of roasting sleeve	Material	Thickness	Overprint
classic and folded in a half	polypropylene	35 μ	flexo – up to 8 colors
Master box (for classic roasting sleeve)	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 100 pcs per box		
	Display box, externally bleached, with the option overprint, dimensions: 330 x 190 x 225 mm, 70 pcs per box		
Master box (for roasting sleeve folded in half)	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs per box		
	Display box, externally bleached, with the option overprint, dimensions: 155 x 230 x 205 mm, 50 pcs per box		




Cling film for wrapping and storing products. **Safe for food contact** and free from PVC and plasticizers.

Our **cling film is distinguished by its optimal ratio of elasticity to stickiness**. The film easily unrolls and tear off, yet sticks very well to the dishes. There's a reason why our film is "easy peel, easy tear".


Our company manufactures the film "from scratch", not just rewind. The production process is 100% waste-free. We check the quality of the product at every manufacturing stage, from raw material to finished product.



● Type of film:




classic roll




roll with perforation

● Type of film edge:



without curling



with curling





PARAMETERS						
Version	Type of film	Material	Thickness	Length	Width	Paper core
household	classic with curling	polyethylene	8,5 μ or 10 μ	10–50 m	290 mm	302 mm ø 28
	classic without curling			10–60 m		328 mm ø 28 (only for box with cutter)
household, perforated	perforated, curling optional		8,5 μ	10–20 m		302 mm ø 28
						328 mm ø 28 (only for box with cutter)
						302 mm ø 32, perforation every 350 mm

● **Competitive advantages of our cling film:**



above average elasticity



can be easily unrolled



parameters of the film are precisely selected for home use



PVC and plasticizers free



wide range of available packaging



cling film with perforation is available



eco-friendly technology with a waste-free, sustainable production process





• **Four-sided cardboard box**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300 g/m ² bleached on one side	43 x 43 x 321 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box		
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box		

• **Five-sided cardboard box**

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zipper' which helps to open the box once torn off. There is an option to add a transparent plastic knife under the 'zipper'. The box is equipped with special click locks on the side walls which stop the lid from opening. There are also "U" shaped cutouts on the side walls to fix the roll, which makes unwinding the roll easier.



PARAMETERS				
Material	Dimensions	Overprint	Varnish	Option: plastic knife
GC2 Alaska 280 g/m ² bleached on both sides	43 x 43 x 308 mm	4-6 colors	dispersion varnish: matt or glossy	yes
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box			

CLING FILM



• **Box with cutter**

Cardboard bleached on both sides, box with a reinforced structure and **inbuilt cutter** which enables easy cutting of the film. You simply unroll the required length of film and **conveniently cut it off**. As a result, the end of the film is always smooth. There are also **“U” shaped cutouts** on the side walls to fix the roll, which makes unwinding the roll easier.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
Corrugated cardboard box 500 g/m ² bleached on both sides and laminated	48 x 48 x 340 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 345 x 345 x 225 mm, 24 pcs per box		
	Display box, externally bleached, optional overprint, dimensions: 348 x 245 x 225 mm, 16 pcs per box		

• **Cling film on roll, plastic wrapped**

PP film with overprint.



PARAMETERS		
Material	Thickness	Overprint
polypropylene	20 μ	flexo, up to 8 colors
Master box	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 42 pcs per box if coils do not exceed 20 m of film per roll	
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 30 pcs per box if coils do not exceed 30 m of film per roll	
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 305 x 258 x 198 mm, 40 pcs per box	



Baking paper siliconised on both sides is ideal for baking various dishes. Safe for food preparation. The paper can be used in traditional ovens at temperatures **up to 220°C**.

Our baking paper is supplied by from top European manufacturers and guarantees non-stick to baking trays and food. **We offer white and brown paper 290 mm and 380 mm versions in rolls or sheets.**

The sheets are available in two different widths and in an adjustable sheet length, making them ideal for oven trays. There's a reason why our baking paper has "perfect fit" in its name.



● **Type and color of baking paper:**




in roll
white and brown



in sheets
white and brown

PARAMETERS				
Type of baking paper	Color	Width	Roll length / Length of a sheet	Number of sheets
in roll	brown	290 mm or 380 mm	4–16 m	-
	white	290 mm		
in sheets	brown	290 mm or 380 mm	42–52 cm	10–30 pcs (max. number of sheets depends on the length of the sheet)
	white	290 mm		

● **Competitive advantages of our baking paper:**



various widths and lengths available



wide range of available packaging



high heat resistance




innovative and automated production process



● **Four-sided cardboard box (for 280 mm wide baking paper)**


Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
290 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 321 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box			

● **Four-sided cardboard box (for 380 mm wide baking paper)**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
380 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 400 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 405 x 180 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 405 x 180 x 268 mm, 24 pcs per box			



• **Four-sided cardboard box with special opening** (recommended for 380 mm wide baking paper in sheets)

Cardboard bleached on one side. It has four walls and can be opened by using special perforation. It makes taking out individual sheets easier.

Perforation for easy taking out of individual sheets

Also available in size 47 x 47 x 400 mm



Packaging according to your design

PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
380 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 390 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 405 x 180 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 405 x 180 x 268 mm, 24 pcs per box			

• **Five-sided cardboard box** (for 280 mm wide baking paper)

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zipper' which helps to open the box once torn off. There is an option to add a transparent plastic knife under the 'zipper'. The box is equipped with special click locks on the side walls which stop the lid from opening. There are also "U" shaped cutouts on the side walls to fix the roll, which makes unwinding the roll easier.

Click locks securing the lid

Zipper



"U" shaped cutouts

Packaging according to your design

Option: transparent plastic knife



PARAMETERS				
Material	Dimensions	Overprint	Varnish	Option
GC2 Alaska 280 g/m ² bleached on both sides	43 x 43 x 308 mm	4-6 colors	dispersion varnish: matt or glossy	transparent plastic knife
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 325 x 270 x 180 mm, 24 pcs per box			





● **Baking paper in roll, plastic wrapped**

PP film with overprint. For baking paper in sheets we recommend using a perforation on film for easy removal of individual sheets.



PARAMETERS				
Type of baking paper	Material	Thickness	Overprint	Options
290 mm or 380 mm	polypropylene	20 μ	flexo – up to 8 colours	Perforation on film for easy opening
Master box (for 290 mm)	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 50 pcs per box			
	Display box, externally bleached, optional overprint, dimensions: 305 x 190 x 151 mm, 25 pcs per box			
Master box (for 380 mm)	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 50 pcs per box			
	Display box, externally bleached. optional overprint, dimensions: 405 x 180 x 225 mm, 35 pcs per box			



Business Offer
Cling film cutters




Quick and easy film cutting!



The cling film cutter is an easy-to-use device for cutting plastic film in a store or restaurant. It facilitates fast and hygienic packaging of products.

- **Several available variants** allow you to choose the right size of cutter which suits better to the size of your size of your work surface. One of the variants with a roll fixing handle and a worktop for products ensures **comfort of packing**.
- **The rotating double-sided cutter** ensures that it runs smoothly and does not tear the film. The stainless steel material **guarantees a long service life** of the cutter.
- **Polish manufacturer** – the cutters are manufactured in Poland




Cutter blade

The blade is available to purchase separately. It has a double life – when it goes blunt, just turn it over and continue using it.





• STANDARD CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core		Diameter of core		Max. diameter of cling film roll	Roll protections	Material
		min.	max.	min.	max.			
STANDARD 30	340 x 160 x 65 mm	330 mm	338 mm	-	50 mm	85 mm	mounting sockets	stainless steel
STANDARD 45	490 x 160 x 65 mm	480 mm	488 mm					

• COMFORT CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core		Diameter of core		Max. diameter of cling film roll	Roll protections	Material
		min.	max.	min.	max.			
COMFORT 30	340 x 160 x 65 mm	-	338 mm	35 mm	-	95 mm	mounting rolls	stainless steel
COMFORT 45	490 x 160 x 65 mm		488 mm					




• MAXI CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core		Max. diameter of cling film roll	Roll protections	Material
		min.	max.			
MAXI	530 x 240 x 70 mm	-	528 mm	170 mm	mounting rolls	stainless steel
MAXI SUPER with worktop	530 x 440 x 70 mm					

• Competitive advantages of our cutters:



various dimensions and product options available



long-life and solid double-sided rotary blade



polish manufacturer



CONTACT US AND CHECK OUR PRICE OFFER!



+48 608 407 321



industrial@politan.pl



FILL IN
THE ONLINE FORM





We create
the community
of business

POLITAN Sp. z o.o. S.K.A.
3 Maja 30 Street
44-200 Rybnik
Poland
VAT: PL6472264011
industrial@politan.pl
www.politan.pl/en