



We create
the community
of business



PRIVATE LABEL OFFER

• WHO ARE WE?

Politan is a leading manufacturer of food contact products in private label brands (storage and preparation category). The company's headquarters is located in Rybnik while its production plants are located in Czyżowice and Żywiec. The beginnings of our company date back to 1982.

• OUR STORY:


1985 r.

first rubbish bags were manufactured




1987 r.

launch of the first production line of ice cube bags in Poland



1988 r.

production of aluminium foil began





1989 r.

production of cling film began



1995 r.

production of roasting sleeve began





2002 r.

the Department for Technology Development and Machine Design was opened

2011 r.

production of barbecue trays began



2020 r.

introduction of Air Protect System air fillers to the market

The development of Politan as a company is closely linked to knowledge, experience and innovations. For over 40 years, Politan has been **developing creative business solutions** and consistently introducing its **own patented products to the market**.

The raw materials for our products come from reliable and approved suppliers which guarantee high quality of the products. **In case of products such as ice cube bags or cling film the production process starts and ends in Politan.**



● WHAT CAN WE DO FOR YOU?

Our activities are based on two strong pillars – **sales of branded products** (Gosia, Amigo, Helios, Sensit brands) and **private label** production for our clients (B2B sector).



● FOR PRIVATE LABELS WE MAINLY PRODUCE:



ice cube bags (different shapes)



cling film (classic and perforated)



roasting bags (different sizes)



roasting sleeves (classic and folded in a half)



baking paper (in roll and in sheets)



clips for roasting bags and sleeves (special, patented clip)



cling film cutter (easy-cut)

Our offer is addressed to **retail chains, manufacturing companies, distributors** and all those who desire to increase their competitiveness on the market and stand out with high-quality products. **We cooperate both with companies that already have their own brand in their offer and those who are just planning to introduce it.** Politan provides comprehensive support necessary to introduce a product to the market.



● OUR CERTIFICATES

Every order we receive is processed with attention to each detail. We manufacture our goods in accordance with international safety standards: **ISO 9001** and **BRC Packaging**. Our company works in line with **Good Hygiene Practices** (GHP) and **Good Manufacturing Practices** (GMP) ensuring safe production at all stages of the manufacturing chain. We implemented the HACCP system which guarantees the appropriate quality of products intended for contact with food. **Our work standards are regularly verified** by internal quality controls, certification audits and those carried out by our clients.



● WHY COOPERATE WITH US?

**HIGH, REPEATABLE QUALITY**

to ensure the highest standards, your products will be made only with approved raw materials and quality will be controlled at every stage of manufacturing.

**THE BEST PRODUCT**

our company works with retail chains and distributors in European, Asian, African and American markets. We have learned the needs of these markets, which allows us to meet them efficiently.

**FLEXIBLE OFFER**

to meet your standards, we can customize product characteristics, adjust packaging size or modify displays. If a specific characteristic is not currently available, our R&D department will evaluate your request.

**FAST AND SMOOTH DELIVERY**

we can adjust MDQ to meet your needs. With our experience in working with export clients, transportation is not an issue. Our company is happy to assist you with logistics matters.

**COMPETITIVE AND STABLE PRICES**

to prevent price increases, we continuously improve our technology to reduce production costs and maintain stable prices, even as raw material and energy costs change.





Private Label offer
Food contact products



ICE CUBE BAGS

9



SAFETY CLIPS

15



ROASTING BAGS

17



FOLDED ROASTING BAGS

20



ROASTING SLEEVE

22



CLING FILM

28



BAKING PAPER

32





Ice cube bags are made of resistant LDPE film which prevents leaking of the bags. Safe for food contact. We are Europe's leading manufacturer of ice cube bags with 30 years of experience.

Our company produces the ice cube bags "from scratch", so we check quality of the product at every manufacturing stage, from raw material to finished product. **Our know-how allows us to maintain the competitive prices while maintaining the highest product quality.**

The bags are manufactured **in a set with convenient perforation** which makes it easier to tear off individual sheet. We offer them in various shapes, sealing types (self-sealing, tied-top), overprint option and in two versions: "shake down" and classic. There's a reason why our ice cube bags have "wide range of shapes" in its name.



• Types of ice cube bags:



self-sealing



fill the bag with water




turn the bag upside down with fast movement so that it closes




put the bag in the freezer



tied-top



fill the bag with water



tear the perforation



roll the top tape down and tie it



put the bag in the freezer

• Shapes of the cubes:

Shake down



round small



rectangular



icicle



rectangular



rectangular XL

Classic



heart



round



round XL










• “Shake down” ice cube bags

This type of **ice cube bags** makes it easy to take out frozen ice cubes. All you have to do is stretch the bag in different directions and then shake the bag a few times. The cubes will be at the bottom of the bag, ready to be taken out.



Option: one-color overprint according to your design








PARAMETERS							
Type of sealing	Shapes		Number of cubes per sheet	Number of sheets	Material	Thickness and color	Dimensions
self-sealing or tied-top	crushed ice		120	6–20	polyethylene	self-sealing 25 μ blue tied-top 25 μ blue or transparent	self-sealing: 170 x 350 mm tied top: 170 x 365 mm
	rectangular		24				
	icicle						

• Classic ice cube bags



Option: one-color overprint according to your design



PARAMETERS							
Type of sealing	Shapes		Number of cubes per sheet	Number of sheets	Material	Thickness and color	Dimensions
self-sealing or tied-top	rectangular		24	6–20	polyethylene	self-sealing 20 μ or 25 μ blue tied-top 20 μ blue or 25 μ transparent	self-sealing: 170 x 350 mm tied-top: 170 x 365 mm
	rectangular XL		15				
	heart		18				
	round		28				
	round XL		18				





• Competitive advantages of our ice cube bags:



we are one of the
largest manufacturers
of ice cube bags
in Europe



our production process
is unique on a global scale
– lower consumption
of PE raw materials



30 years
of experience



guaranteed quality



wide range
of available shapes



option: one-color
overprint according to
your design



bags with convenient
perforation





• A four-sided cardboard box

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs. per box, 405 x 180 x 225 mm, 40 pcs. per box		
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs. per box		

• Five-sided square cardboard box

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box; 130 x 215 x 200 mm, 15 pcs. per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs. per box; 405 x 180 x 225 mm, 40 pcs. per box		
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs. per box		





• Five-sided rectangular cardboard box

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** that helps open the box. Box has a cutout, which makes it possible **to close the box flap**.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300g/m ² bleached on one side	37 x 62 x 200 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 38 pcs. per box		
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 16 pcs. per box; 188 x 395 x 202 mm, 30 pcs. per box		

• Flowpack

The film with overprint is sealed on the top and bottom. Optional eurohole allows easy product display.




PARAMETERS				
Material	Thickness	Dimensions	Overprint	Option
polypropylene	25 µ 35 µ	255 mm x 110 mm - with eurohole 240 x 110 mm - without eurohole	flexo, up to 8 colors	eurohole
Master box	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 125 x 160 x 240 mm, 26 pcs. per box; 110 x 194 x 225 mm, 28 pcs. per box			





• Flowpack with paper label

Transparent film with a printed paper label inside is sealed at the top and bottom. The film is sealed at the top and bottom of the product. Optional eurohole allows easy product display.



PARAMETRY							
Material	Thickness	Dimensions	Label version	Label dimensions	Label overprint	Option	
polypropylene	25 µ or 35 µ	255 x 110 mm with eurohole 240 x 110 mm without eurohole	double-sided	unfolded 340 x 85 mm folded 170 x 85 mm	offset, up to 4 colors	eurohole	
			one-sided	86 x 172 mm			
Master box	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs. per box						
	Display box, externally bleached, optional overprint, dimensions: 125 x 160 x 240 mm, 26 pcs. per box						





Clips allow you to close a roasting bag or sleeve easily. Our clips can be made of **red or blue heat-resistant BoPET (up to 220°C)**. The clips are **durable and very flexible** (they can be bent inside a folded cube-shaped roasting bag).

We offer clips on a roll or in convenient sets. Depending on your needs, **the roll (42 000 clips) can be divided into sets – from 4 to 15 pieces per set**. Available in 3 variants: **4-tooth clips or 8-tooth clips** so-called "Safety Clips", as well as traditional **14-tooth clips**.

Safety clips have a **special shape** (patented by Politan) **that eliminates the need to puncture the roasting bag or sleeve**. Thanks to the safety clips, the sleeve is closed but a small air outlet remains, so hot air escapes outside through the opening. There's a reason our safety clips have "no more pressure" in their name. **We guarantee that the bag will not burst during roasting!**




Red or blue 4-tooth safety clip



Red or blue 8-tooth safety clip



Red or blue 14-tooth clip



PARAMETERS							
Version	Length	Width	Material	Thickness	Color	Number of clips on roll	Sets of
4-tooth or 8-tooth or 14-tooth	113 +/- 1 mm	10 mm	BoPET	150 μ	red or blue	42 000 pcs.	4–15 pcs.
Master box (for rolls)		Grey cardboard box, dimensions: 300 x 260 x 260 mm, 2 rolls (84 000 pcs.) per box					
Master box (for sets)		Grey cardboard box, dimensions: 165 x 160 x 210 mm, 24 000 pcs. per box					

• **Competitive advantages of our clips:**



Safety Clips eliminate the need to puncture the roasting bag or sleeve



available on a roll and in various sets



manufactured from selected raw materials with high temperature resistance



2 color options






Safety clips protect roasting bags and sleeves against uncontrolled explosion in the oven. They have **a special shape** (patented by Politan) **that eliminates the need to puncture the roasting bag or sleeve**. Thanks to the safety clips, the sleeve is closed but a small air outlet remains, so hot air escapes outside through the opening. **We guarantee that the bag will not burst during roasting!**

• How do Safety Clips work?


1. Place food in roasting sleeve (or bag) and close it with the Safety Clip.



2. Thanks to the specially designed 4 or 8-tooth clip, the sleeve is closed but a small air outlet remains.



3. Hot air flows out through the small outlet during roasting.



4. **No need to puncture the sleeve or bag.** We guarantee that the bag will not burst during roasting!



**NO
PUNCTURE!**





Roasting bags are intended for fat-free roasting of various types of dishes. **Bags are durable, do not crumble** and are safe for food preparation. They can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens. **We offer roasting bags in various sizes, with or without clips.**

Our roasting bags are manufactured from **the best raw materials**. They have **the strongest, most durable seals** on the market. There's a reason why our roasting bags have "power of seal" in their name.



Bags in bulk will be folded
in master box
and ready for packing

• **Types of clips:**



Red or blue 4-tooth safety clip



Red or blue 8-tooth safety clip



Red or blue 14-tooth clip





PARAMETERS

Length	Material	Thickness	Width of the bag	Number of bags in set
380 mm	BoPET	12 μ	200–600 mm	1–14 pcs.* * The maximum number of bags in set depends on the size of the bag.
400 mm				
430 mm				
500 mm				
550 mm				
600 mm				

• **Competitive advantages of our roasting bags:**



we are No.1
manufacturer of
roasting bags in the EU




over 1 000 000 000
bags produced



the most durable seals
on the market



manufactured from
selected raw materials
with high temperature
resistance



bags available
in various sizes



patented clips protect bags
from uncontrolled explosion
in the oven




innovative
and automated
production process





• **Flat cardboard box (envelope)**

Cardboard bleached on one side. It has an envelope opening on the back of the box.



PARAMETERS					
Version	Material	Dimensions	Overprint	Vernish	Eurohole
standard envelope box	GD2 300 g/m ² bleached on one side	160 x 208 mm	4-6 colors	dispersion varnish: matt or glossy	Yes
narrow envelope box	GD2 300 g/m ² bleached on one side	125 x 208 mm	4-6 colors	dispersion varnish: matt or glossy	No
small envelope box	GD2 300 g/m ² bleached on one side	140 x 170 mm	4-6 colors	dispersion varnish: matt or glossy	Yes
Master box (for standard box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20-30 pcs. per box				
	Display box, externally bleached, optional overprint, dimensions: 173 x 160 x 213 mm, 20-30 pcs. per box				
Master box (for narrow box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20-30 pcs. per box				
	Display box, externally bleached, optional overprint, dimensions: 130 x 160 x 212 mm, 20-30 pcs. per box				
Master box (for small box)	Grey cardboard box, dimensions: 165 x 160 x 210 mm, 20-30 pcs. per box				
	Display box, externally bleached, optional overprint, dimensions: 173 x 160 x 213 mm, 20-30 pcs. per box				






Folded roasting bags are dedicated to use in spice bags. The sticker and special folding make opening of the roasting bag very easy and intuitive. We have developed **a technology for inserting the clip into the bag**, so you can add a complete set to your spice bag: folded roasting bag with clip. **We offer two sizes of folded roasting bags and different sticker colors.**

Roasting bags are intended for fat-free roasting of various types of dishes. **Bags are durable, do not crumble** and are safe for food preparation. They can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens.

Our roasting bags are manufactured from **the best raw materials**. They have **the strongest, most durable seals** on the market. There's a reason why our roasting bags have "power of seal" in their name.

standard



big



narrow



Once the roasting bag is unfolded, it is ready to use

FOLDED ROASTING BAGS

Types of clips:



Red or blue 4-tooth safety clip



Red or blue 8-tooth safety clip



Red or blue 14-tooth clip





PARAMETERS							
Version	Width of the bag	Length of the bag	Material	Thickness	Dimensions of the folded bag	Dimensions of the paper sticker	Available colors of the paper sticker
standard	250 mm	380 mm	BoPET	12 μ	34 x 32 x 8 mm	15 x 42 mm	red
narrow	300 mm				50 x 24 x 6 mm	15 x 42 mm	red
big	310 mm				34 x 32 x 10 mm	10 x 42 mm	yellow
Master box (for standard bags)	Grey cardboard box, dimensions: 300 x 245 x 320 mm, 2000 pcs. per box						
Master box (for big bags)	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 1000 pcs. per box						

Competitive advantages of our roasting bags:



we are No.1
manufacturer of
roasting bags in the EU




over 1 000 000 000
bags produced



the most durable seals
on the market



manufactured from
selected raw materials
with high temperature
resistance



bags available
in various sizes



patented clips protect bags
from uncontrolled explosion
in the oven



innovative
and automated
production process



automated quality
control process





The **roasting sleeve** is intended for fat-free roasting of various types of dishes. The sleeve is durable, does not crumble and is safe for food preparation. It can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens.

Our roasting sleeve is manufactured from **the best raw materials**. It has **the strongest, most durable seals** on the market. There's a reason why our roasting sleeve has "power of seal" in its name.



• Types of roasting sleeves:



• Types of clips:



Red or blue 4-tooth safety clip



Red or blue 8-tooth safety clip



Red or blue 14-tooth clip





PARAMETERS						
Type of sleeve	Material	Thickness	Width	Width of the folded roll	Length	Number of clips per pack
classic	BoPET	12 μ	290 mm	-	2–10 m	6–16 clips or without clips
		10 μ	300 mm			
		12 μ	310 mm			
folded in half		12 μ	290 mm	160 mm	2–6 m	
		10 μ	300 mm	165 mm		
		12 μ	310 mm	170 mm		

• **Competitive advantages of our roasting sleeves**



the most durable
and strongest seals
on the market



manufactured from
selected raw materials
with high temperature
resistance



patented clips protect bags
from uncontrolled explosion
in the oven



safe for food
preparation



innovative
and automated
production process



automated quality
control process





● Four-sided cardboard box (for classic roasting sleeve)

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
classic	GD2 300g/m ² bleached on one side	43 x 43 x 321 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box			

● Five-sided cardboard box (for classic roasting sleeve)

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zip-per' that helps to open the box once torn off. The box is equipped with special **click locks** on the side walls to prevent the lid from opening. There are also **"U"-shaped cutouts** on the side walls to fix the roll, which makes unwinding the roll easier.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
classic only for 290 mm	GC2 Alaska 280g/m ² bleached on both sides	43 x 43 x 308 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box			





● Four-sided cardboard box (for roasting sleeve folded in a half)

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in half	GD2 300g/m ² bleached on one side	41 x 41 x 200 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs. per box; 405 x 180 x 225 mm, 40 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs. per box			

● Five-sided square cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in half	GD2 300g/m ² bleached on one side	41 x 41 x 180 mm or 41 x 41 x 200 mm	4-6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box; 130 x 215 x 200 mm, 15 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 24 pcs. per box; 405 x 180 x 225 mm, 40 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 176 x 310 x 209 mm, 28 pcs. per box			





● Five-sided rectangular cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in half	GD2 300g/m ² bleached on one side	37 x 62 x 200 mm	4–6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 38 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 16 pcs. per box; 188 x 395 x 202 mm, 30 pcs. per box			

● Five-sided narrow cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with a **perforation** which helps open the box. Box has a cutout, which makes it possible to **close the box flap**.



PARAMETERS				
Type of roasting sleeve	Material	Dimensions	Overprint	Varnish
folded in half	GD2 300g/m ² bleached on one side	20 x 63 x 180 mm	4–6 colors	Dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 275 x 190 x 220 mm, 40 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 32 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 129 x 252 x 184 mm, 24 pcs. per box			





● **Flowpack** (for classic and folded in half roasting sleeve)

The film is sealed at the top and bottom of the product, with overprint.



PARAMETERS			
Type of roasting sleeve	Material	Thickness	Overprint
classic and folded in half	polypropylene	35 µ	flexo – up to 8 colors
Master box (for classic roasting sleeve)	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 100 pcs. per box		
	Display box, externally bleached, with the option overprint, dimensions: 330 x 190 x 225 mm, 70 pcs. per box		
Master box (for roasting sleeve folded in half)	Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs. per box		
	Display box, externally bleached, with the option overprint, dimensions: 155 x 230 x 205 mm, 50 pcs. per box		






Cling film for wrapping and storing products. **Safe for food contact** and free from PVC and plasticizers.

Our **cling film** is distinguished by its **optimal ratio of elasticity to stickiness**. The film easily unrolls and tears off, yet sticks very well to the dishes. There's a reason why our film is "easy peel, easy tear".


Our company manufactures the film "from scratch", not just rewinding. The production process is 100% waste-free. We check the quality of the product at every manufacturing stage, from raw material to finished product.



• Types of film:




classic roll




roll with perforation

• Colors of film:



clear (classic)




blue






• **Types of film edge:**



without curling



with curling

Type of film	Material	Widht	Thickness	Color	Length	Paper core	Option
classic	polyethylene	290 mm	8,5 μ or 10 μ	clear (8,5 μ or 10 μ foil) or blue (8,5 μ foil)	10–60 m	302 mm \varnothing 28	curling
						328 mm \varnothing 28 (suitable to box with cutter)	
					10–50 m	302 mm \varnothing 32	
perforated (every 350 mm)			8,5 μ		10–30 m	302 mm \varnothing 32	

• **Competitive advantages of our cling film:**



above average
elasticity



can be easily unrolled



parameters of the film
are precisely selected for
home use



PVC and
plasticizers free




wide range of available
packaging



cling film with perforation
is available



eco-friendly technology with
a waste-free, sustainable
production process





• Four-sided cardboard box

Cardboard bleached on one side. It has four walls and can be opened using perforation on one of the sides.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
GD2 300 g/m ² bleached on one side	43 x 43 x 321 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box		
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box		
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box		

• Five-sided cardboard box

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a **'zipper'** that helps to open the box once torn off. There is an option to add a transparent plastic knife under the 'zipper'. The box is equipped with special click locks on the side walls which stop the lid from opening. There are also **"U"-shaped cutouts** on the side walls to fix the roll, making unwinding the roll easier.



PARAMETERS				
Material	Dimensions	Overprint	Varnish	Option: plastic knife
GC2 Alaska 280 g/m ² bleached on both sides	43 x 43 x 308 mm	4–6 colors	dispersion varnish: matt or glossy	yes
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box			





• Box with a cutter

Cardboard bleached on both sides, box with a reinforced structure and **inbuilt cutter** which enables easy cutting of the film. You simply unroll the required length of film and **conveniently cut it off**. As a result, the end of the film is always smooth. There are also **“U”-shaped cutouts** on the side walls to fix the roll, which makes unwinding the roll easier.



PARAMETERS			
Material	Dimensions	Overprint	Varnish
Corrugated cardboard box 500 g/m ² bleached on both sides and laminated	48 x 48 x 340 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 345 x 345 x 225 mm, 24 pcs. per box		
	Display box, externally bleached, optional overprint, dimensions: 348 x 245 x 225 mm, 16 pcs. per box		

• Cling film on roll, plastic wrapped

PP film with overprint.



PARAMETERS		
Material	Thickness	Overprint
polypropylene	20 µ	flexo, up to 8 colors
Master box	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 42 pcs. per box for 20 m on roll, 302 mm ø 32 mm	
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 30 pcs. per box for 30 m on roll, 328 mm ø 28; 305 x 190 x 151, 20 pcs. per box for 30 m on roll, 302 mm ø 28 mm; 20 pcs. per box for 20 m on roll, 302 mm ø 32 mm	
	Shelf-ready display box (white tray + grey), optional overprint, dimensions: 305 x 258 x 198 mm, 40 pcs. per box	





Baking paper siliconised on both sides is ideal for baking various dishes. Safe for food preparation. The paper can be used in traditional ovens at temperatures **up to 220°C**.

Our baking paper is supplied by top European manufacturers and guarantees non-stick to baking trays and food. **We offer white and brown paper 290 mm and 380 mm versions, in rolls or sheets.**

The sheets are available in two different widths and in an adjustable sheet length, making them ideal for oven trays. There's a reason why our baking paper has "perfect fit" in its name.



• **Types and colors of baking paper:**




in roll
white and brown



in sheets
white and brown

PARAMETERS				
Type of baking paper	Color	Width	Roll length / Length of a sheet	Number of sheets
in roll	brown	290 mm or 380 mm	4–16 m	-
	white	380 mm		
in sheets	brown	290 mm or 380 mm	42–52 cm	10–30 pcs. (max. number of sheets depends on the length of the sheet)
	white	380 mm		

• **Competitive advantages of our baking paper:**



various widths
and lengths available



wide range of available
packaging



high heat resistance




innovative
and automated
production process





● **Four-sided cardboard box (for 290 mm wide baking paper)**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
290 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 321 mm	4–6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box			

● **Four-sided cardboard box (for 380 mm wide baking paper)**

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
380 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 400 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 405 x 180 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 405 x 180 x 268 mm, 24 pcs. per box			





• Four-sided cardboard box with special opening (recommended for 380 mm wide baking paper in sheets)

Cardboard bleached on one side. It has four walls and can be opened by using special perforation. It makes taking out individual sheets easier.

Perforation for easy taking out of individual sheets



Packaging according to your design

PARAMETERS				
Type of baking paper	Material	Dimensions	Overprint	Varnish
380 mm	GD2 350 g/m ² bleached on one side	43 x 43 x 390 mm or 47 x 47 x 400 mm	4-6 colors	dispersion varnish: matt or glossy
Master box	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 405 x 180 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 405 x 180 x 268 mm, 24 pcs. per box			

• Five-sided cardboard box (for 290 mm wide baking paper)

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zipper' that helps to open the box once torn off. There is an option to add a transparent plastic knife under the 'zipper'. The box is equipped with special click locks on the side walls which stop the lid from opening. There are also "U"-shaped cutouts on the side walls to fix the roll, which making unwinding the roll easier.

Click locks securing the lid




Zipper

"U"-shaped cutouts

Packaging according to your design

Option: transparent plastic knife



PARAMETERS				
Material	Dimensions	Overprint	Varnish	Option
GC2 Alaska 280 g/m ² bleached on both sides	43 x 43 x 308 mm	4-6 colors	dispersion varnish: matt or glossy	transparent plastic knife
Master box	Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box			
	Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box			
	Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box			





● **Baking paper in roll, plastic wrapped**

PP film with overprint. For baking paper in sheets we recommend using a perforation on film for easy removal of individual sheets.



PARAMETERS				
Type of baking paper	Material	Thickness	Overprint	Options
290 mm or 380 mm	polypropylene	20 µ	flexo – up to 8 colors	Perforation on film for easy opening
Master box (for 290 mm)	Grey cardboard box, dimensions: 310 x 222 x 235 mm, 50 pcs. per box for 6 m on roll			
	Display box, externally bleached, optional overprint, dimensions: 305 x 190 x 151 mm, 25 pcs. per box for 6 m on roll			
Master box (for 380 mm)	Grey cardboard box, dimensions: 270 x 230 x 405 mm, 50 pcs. per box for 8 m on roll			
	Display box, externally bleached optional overprint, dimensions: 405 x 180 x 225 mm, 35 pcs. per box for 8 m on roll; 180 x 390 x 195 mm, 30 pcs for 8 m on roll			





Business Offer
Cling film cutters




Quick and easy film cutting!



The cling film cutter is an easy-to-use device for cutting plastic film in a store or restaurant. It facilitates fast and hygienic packaging of products.

- **Several available variants** allow you to choose the right size of cutter which suits better to the size of your work surface. One of the variants with a roll fixing handle and a worktop for products ensures **comfort of packing**.
- **The rotating double-sided cutter** ensures that it runs smoothly and does not tear the film. The stainless steel material **guarantees a long service life** of the cutter.
- **Polish manufacturer** – the cutters are manufactured in Poland




Cutter blade

The blade is available to purchase separately. It has a double life – when it goes blunt, just turn it over and continue using it.





• STANDARD CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core		Diameter of core		Max. diameter of cling film roll	Roll protections	Material
		min.	max.	min.	max.			
STANDARD 30	340 x 160 x 65 mm	330 mm	338 mm	-	50 mm	85 mm	mounting sockets	stainless steel
STANDARD 45	490 x 160 x 65 mm	480 mm	488 mm					

• COMFORT CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core		Diameter of core		Max. diameter of cling film roll	Roll protections	Material
		min.	max.	min.	max.			
COMFORT 30	340 x 160 x 65 mm	-	338 mm	35 mm	-	95 mm	mounting rolls	stainless steel
COMFORT 45	490 x 160 x 65 mm		488 mm					






• MAXI CUTTER



PARAMETERS

Model of cutter	Dimensions	Length of core min. max.		Max. diameter of cling film roll	Roll protections	Material
MAXI	530 x 240 x 70 mm	-	528 mm	170 mm	mounting rolls	stainless steel
MAXI SUPER with worktop	530 x 440 x 70 mm					

• Competitive advantages of our cutters:



various dimensions
and product options available



long-life and solid double-sided
rotary blade



polish manufacturer



CONTACT US AND CHECK OUR PRICE OFFER!



+48 608 407 321



industrial@politan.pl



**FILL IN
THE ONLINE FORM**





We create
the community
of business

POLITAN Sp. z o.o. S.K.A.
3 Maja 30 Street
44-200 Rybnik
Poland
VAT: PL6472264011
industrial@politan.pl
www.politan.pl/en