





**The roasting sleeve** is intended for fat-free roasting of various types of dishes. The sleeve is durable, does not crumble and is safe for food preparation. It can be used in traditional ovens at temperatures **up to 200°C** and in microwave ovens.

Our roasting sleeve is manufactured from **the best raw materials**. It has **the strongest, most durable seals** on the market. There's a reason why our roasting sleeve has "power of seal" in its name.



## Types of roasting sleeves:



### • Types of clips:



Red or blue 4-tooth safety clip



Red or blue 8-tooth safety clip



Red or blue 14-tooth clip







| PARAMETERS     |          |           |        |                          |        |                                |  |
|----------------|----------|-----------|--------|--------------------------|--------|--------------------------------|--|
| Type of sleeve | Material | Thickness | Width  | Width of the folded roll | Length | Number of clips per pack       |  |
|                |          | 12 μ      | 290 mm |                          |        |                                |  |
| classic        |          | 10 μ      | 300 mm | -                        | 2–10 m | 6-16 clips<br>or without clips |  |
|                | BoPET    | 12 µ      | 310 mm |                          |        |                                |  |
| folded in helf |          | 12 µ      | 290 mm | 160 mm                   | 2–6 m  |                                |  |
| folded in half |          | 10 μ      | 300 mm | 165 mm                   |        |                                |  |
|                |          | 12 µ      | 310 mm | 170 mm                   |        |                                |  |

# Competitive advantages of our roasting sleeves



the most durable and strongest seals on the market



safe for food preparation



manufactured from selected raw materials with high temperature resistance



innovative and automated production process



patented clips protect bags from uncontrolled explosion in the oven



automated quality control process









#### • Four-sided cardboard box (for classic roasting sleeve)

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



| PARAMETERS              |  |   |                  |            |                                       |  |  |
|-------------------------|--|---|------------------|------------|---------------------------------------|--|--|
| Type of roasting sleeve |  | Material  | Dimensions       | Overprint  | Varnish                               |  |  |
| Cla                     | assic  | GD2 300g/m <sup>2</sup><br>bleached on one side | 43 x 43 x 321 mm | 4-6 colors | Dispersion varnish:<br>matt or glossy |  |  |
|                         | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box  |   |                  |            |                                       |  |  |
| Master<br>box           | Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box                |   |                  |            |                                       |  |  |
|                         | Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box |   |                  |            |                                       |  |  |

## Five-sided cardboard box (for classic roasting sleeve)

Cardboard bleached on both sides, box with a **reinforced structure**. It has an additional (fifth) wall with a 'zipper' that helps to open the box once torn off. The box is equipped with special **click locks** on the side walls to prevent the lid from opening. There are also "**U**"-**shaped cutouts** on the side walls to fix the roll, which makes unwinding the roll easier.



|                         | PARAMETERS   |  |                  |            |                                       |  |  |  |
|-------------------------|--|--|------------------|------------|---------------------------------------|--|--|--|
| Type of roasting sleeve |  | Material                                     | Dimensions       | Overprint  | Varnish                               |  |  |  |
|                         | assic<br>r 290 mm  | GC2 Alaska 280g/m²<br>bleached on both sides | 43 x 43 x 308 mm | 4–6 colors | Dispersion varnish:<br>matt or glossy |  |  |  |
|                         | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 30 pcs. per box  |  |                  |            |                                       |  |  |  |
| Master                  | Display box, externally bleached, optional overprint, dimensions: 330 x 190 x 225 mm, 20 pcs. per box                |  |                  |            |                                       |  |  |  |
| DUX                     | Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 330 x 227 x 220 mm, 25 pcs. per box |  |                  |            |                                       |  |  |  |







#### • Four-sided cardboard box (for roasting sleeve folded in a half)

Cardboard bleached on one side. It has four walls and can be opened by using perforation on one of the sides.



| PARAMETERS              |   |                                     |                            |                                 |                                       |  |
|-------------------------|---|-------------------------------------|----------------------------|---------------------------------|---------------------------------------|--|
| Type of roasting sleeve |   | Material                            | Dimensions                 | Overprint                       | Varnish                               |  |
| folded in               | n half  | GD2 300g/m²<br>bleached on one side | 41 x 41 x 200 mm           | 4-6 colors                      | Dispersion varnish:<br>matt or glossy |  |
|                         | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box   |                                     |                            |                                 |                                       |  |
| Master box              | Display box, externally bleached, optional overprint, <b>dimensions:</b> 205 x 175 x 255 mm, 24 pcs. per box; 405 x 180 x 225 mm, 40 pcs. per box |                                     |                            |                                 |                                       |  |
|                         | Shelf-ready<br>per box  | display box (white tray + g         | rey lid), optional overpri | int, <b>dimensions:</b> 176 x 3 | 310 x 209 mm, 28 pcs.                 |  |

#### Five-sided square cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with **a perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



| PARAMETERS              |   |  |  |            |                                       |  |  |
|-------------------------|---|--|--|------------|---------------------------------------|--|--|
| Type of roasting sleeve |   | Material   | Dimensions                                 | Overprint  | Varnish                               |  |  |
| folded i                | n half  | GD2 300g/m²<br>bleached on one side  | 41 x 41 x 180 mm<br>or<br>41 x 41 x 200 mm | 4-6 colors | Dispersion varnish:<br>matt or glossy |  |  |
|                         | Grey cardbo   | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 48 pcs. per box; 130 x 215 x 200 mm, 15 pcs. per box |  |            |                                       |  |  |
| Master box              | Display box, externally bleached, optional overprint, <b>dimensions:</b> 205 x 175 x 255 mm, 24 pcs. per box; 405 x 180 x 225 mm, 40 pcs. per box |  |  |            |                                       |  |  |
|                         | Shelf-ready display box (white tray + grey lid), optional overprint, <b>dimensions:</b> 176 x 310 x 209 mm, 28 pcs. per box                       |  |  |            |                                       |  |  |







## • Five-sided rectangular cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with **a perforation** which helps to open the box. The box has a cutout which makes it possible to **close the box flap**.



|                  | PARAMETERS   |                                     |                  |            |                                       |  |  |  |
|------------------|--|-------------------------------------|------------------|------------|---------------------------------------|--|--|--|
| Type of roasting | Type of roasting sleeve  |                                     | Dimensions       | Overprint  | Varnish                               |  |  |  |
| folded in ha     | alf  | GD2 300g/m²<br>bleached on one side | 37 x 62 x 200 mm | 4-6 colors | Dispersion varnish:<br>matt or glossy |  |  |  |
|                  | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 38 pcs. per box  |                                     |                  |            |                                       |  |  |  |
| Master box       | Display box, externally bleached, optional overprint, <b>dimensions:</b> 205 x 175 x 255 mm, 16 pcs. per box |                                     |                  |            |                                       |  |  |  |

#### Five-sided narrow cardboard box (for roasting sleeve folded in half)

Cardboard bleached on one side. It has an additional (fifth) wall with **a perforation** which helps open the box. Box has a cutout, which makes it possible to **close the box flap**.



|   | PARAMETERS   |                                     |                  |            |                                       |  |  |  |
|---|--|-------------------------------------|------------------|------------|---------------------------------------|--|--|--|
| Type of roasting sleeve   |  | Material                            | Dimensions       | Overprint  | Varnish                               |  |  |  |
| folded  | in half  | GD2 300g/m²<br>bleached on one side | 20 x 63 x 180 mm | 4-6 colors | Dispersion varnish:<br>matt or glossy |  |  |  |
| Grey cardboard box, dimensions: 275 x 190 x 220 mm, 40 pcs. per box |  |                                     |                  |            |                                       |  |  |  |
| Master<br>box   | Display box, externally bleached, optional overprint, dimensions: 205 x 175 x 255 mm, 32 pcs. per box            |                                     |                  |            |                                       |  |  |  |
|   | Shelf-ready display box (white tray + grey lid), optional overprint, dimensions: 129 x 252 x 184 mm, 24 pcs. per |                                     |                  |            |                                       |  |  |  |







# • Flowpack (for classic and folded in half roasting sleeve)

The film is sealed at the top and bottom of the product, with overprint.



| PARAMETERS                           |   |   |                            |           |  |  |
|--------------------------------------|---|---|----------------------------|-----------|--|--|
| Type of roasting sleeve              |   | Material  | Thickness                  | Overprint |  |  |
| classic and folded in h              | alf   | polypropylene   | 35 μ flexo – up to 8 color |           |  |  |
| Master box                           | Grey cardboard box, dimensions: 330 x 230 x 265 mm, 100 pcs. per box  |   |                            |           |  |  |
| (for classic roasting sleeve)        | . ,   | lay box, externally bleached, with the option overprint, <b>dimensions:</b> $330 \times 190 \times 225$ cs. per box |                            |           |  |  |
| Master box                           | Grey cardboard box, dimensions: 390 x 230 x 130 mm, 100 pcs. per box  |   |                            |           |  |  |
| (for roasting sleeve folded in half) | Display box, externally bleached, with the option overprint, <b>dimensions:</b> 155 x 230 x 205 mm, 50 pcs. per box |   |                            |           |  |  |





# **CONTACT US AND CHECK OUR PRICE OFFER!**



+48 608 407 321



industrial@politan.pl











We create the community of business

POLITAN Sp. z o.o. S.K.A. 3 Maja 30 Street 44-200 Rybnik Poland VAT: PL6472264011 industrial@politan.pl www.politan.pl/en